
Client

## **D8 Seltzer**

Cultivar: N/A Matrix: Ingestible Type: Beverage Sample Size:

Received: 12/02/2020 Completed: 12/08/2020 Batch#: D8-0002

D8 Seltzer Lic.# HP568 1515 Mockingbird Lane Charlotte, NC 28209



Test Date Tested Result 12/08/2020 Cannabinoids Complete



## Cannabinoids by HPLC-PDA

Complete

0.00347%	ND	0.02699%	<b>NT</b> Not Tested	Not Tested
Total THC	Total CBD	Total Cannabinoids	Moisture Content	Foreign Matter

Analyte	LOD	LOQ	Result	Result		2012KCA0746.2306	
	%	%	%	mg/mL	mAU		
CBC	0.00095	0.00284	ND	ND	35	£	
CBCA	0.00181	0.00543	ND	ND	35	<del>-</del> <del>-</del> <del>-</del>	
CBCV	0.00060	0.00180	ND	ND	-		
CBD	0.00081	0.00242	ND	ND	30-		
CBDA	0.00043	0.00130	ND	ND	-		
CBDV	0.00061	0.00182	ND	ND	25		
CBDVA	0.00021	0.00063	ND	ND	-		
CBG	0.00057	0.00172	ND	ND	20-		
CBGA	0.00049	0.00147	ND	ND	-		
CBL	0.00112	0.00335	ND	ND	15		
CBLA	0.00124	0.00371	ND	ND	-		
CBN	0.00056	0.00169	ND	ND	10-		
CBNA	0.00060	0.00181	ND	ND	-	<b></b>	
Δ8-THC	0.00104	0.00312	0.02352	0.2352	5	ф р	
Δ9-THC	0.00076	0.00227	0.00347	0.0347		$\mathbb{A}$	
THCA	0.00084 0.00069	0.00251 0.00206	ND	ND	0-	Λ // \	
THCV THCVA	0.00069	0.00206	ND ND	ND ND	0-		
Total THC	0.00062	0.00100	0.00347	0.0347		2.5 5.0 7.5	10.0
Total CBD			0.00347 ND	0.0347 ND		2.3 3.0 7.3	min
Total			0.02699	0.2699			
iotai			0.02077	0.2077			

Total THC = THCA \*  $0.877 + \Delta 9$ -THC Total CBD = CBDA \* 0.877 + CBDLOD = Limit of Detection

LOQ = Limit of Quantitation ND = None Detected

For plant material, the reported result is based on a sample weight with the applicable moisture content for that sample.

Wes Rogers Principal Scientist





ISO/IEC 17025:2017 Accredited Accreditation #108651

12/08/2020 This product or substance has been tested by KCA Laboratories using validated testing methodologies and a quality system. Values reported relate only to the product or substance tested. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories.