

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU GMY.D9.WTR5		BATCH # 210211		LOQ: Limit Of Quantitation LOD: Limit Of Detection 1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb			
PRODUCT NAME Cycling Frog Watermelon Gummy		SERVING SIZE 1 Gummy (~5.0 g)					
LABORATORY: Columbia Laboratories		OREGON ACCREDITATION: OR100028					
POTENCY		PER SERVING		PER GRAM		Percent	
Cannabidiol (CBD)		30.3	mg/serving	6.05	mg/g	0.605	%
Total THC (d9-THC, THCA)		6.90	mg/serving	1.38	mg/g	0.138	%
Cannabigerol (CBG)		<LOQ	mg/serving	<LOQ	mg/g	<LOQ	%
Cannabinol (CBN)		<LOQ	mg/serving	<LOQ	mg/g	<LOQ	%
Cannabichromene (CBC)		<LOQ	mg/serving	<LOQ	mg/g	<LOQ	%
Tetrahydrocannabinolic Acid (THCA)		<LOQ	mg/serving	<LOQ	mg/g	<LOQ	%
Delta-9-THC (d9-THC)		6.90	mg/serving	1.38	mg/g	0.138	%
Delta-8-THC (d8-THC)		1.53	mg/serving	0.305	mg/g	0.0305	%
HEAVY METALS		PER SERVING		PER GRAM		REGULATORY ACTION LEVEL	
Arsenic		<LOQ	µg/serving	<LOQ	µg/g	10	µg/day ^[1]
Cadmium		<LOQ	µg/serving	<LOQ	µg/g	4.1	µg/day ^[1]
Lead		<LOQ	µg/serving	<LOQ	µg/g	3.5	µg/day ^[2]
Mercury		<LOQ	µg/serving	<LOQ	µg/g	2	µg/day ^[1]
PESTICIDES						REGULATORY ACTION LEVEL	
None of the other 59 pesticides tested found above limit of detection in the sample.						10 ppb ^[1]	
RESIDUAL SOLVENTS		Results		REGULATORY ACTION LEVEL			
Ethanol		<LOQ					
Heptane		<LOQ					
None of the 34 residual solvents tested found above limit of quantitation in the sample.							
MICROBIAL		PASS/FAIL					
Yeast & Mold		Pass					
Coliform		Pass					



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.
2. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Customer: Etz Hayim Holdings
Product identity: FORM-210211-GMY.D9.WTR5
Client/Metric ID: .
Laboratory ID: 21-013827-0002

Summary

Potency:

Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	6.05		mg/1g		CBD Total per 1g 6.05 mg/1g
Δ8 THC per 1g†	0.305		mg/1g		
Δ9 THC per 1g	1.38		mg/1g		THC-Total per 1g 1.38 mg/1g
(Reported in milligrams per serving)					

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Customer: Etz Hayim Holdings
16427 NE Airport Way
PORTLAND 97230
United States of America (USA)
Product identity: FORM-210211-GMY.D9.WTR5
Client/Metric ID: .
Sample Date:
Laboratory ID: 21-013827-0002
Evidence of Cooling: No
Temp: 19.9 °C
Relinquished by: Client
Serving Size #1: 1 g

Sample Results

Potency per 1g Method J AOAC 2015 V98-6 (mod)Units mg/se Batch: 2110747 Analyze: 11/30/21 6:56:00 PM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g†	< LOQ		mg/1g	0.0313	
CBC-A per 1g†	< LOQ		mg/1g	0.0313	
CBC-Total per 1g†	< LOQ		mg/1g	0.0588	
CBD per 1g	6.05		mg/1g	0.0313	
CBD-A per 1g	< LOQ		mg/1g	0.0313	
CBD-Total per 1g	6.05		mg/1g	0.0588	
CBDV per 1g†	< LOQ		mg/1g	0.0313	
CBDV-A per 1g†	< LOQ		mg/1g	0.0313	
CBDV-Total per 1g†	< LOQ		mg/1g	0.0585	
CBE per 1g†	< LOQ		mg/1g	0.0313	
CBG per 1g†	< LOQ		mg/1g	0.0313	
CBG-A per 1g†	< LOQ		mg/1g	0.0313	
CBG-Total per 1g†	< LOQ		mg/1g	0.0585	
CBL per 1g†	< LOQ		mg/1g	0.0313	
CBL-A per 1g†	< LOQ		mg/1g	0.0313	
CBL-Total per 1g†	< LOQ		mg/1g	0.0588	
CBN per 1g	< LOQ		mg/1g	0.0313	
CBT per 1g†	< LOQ		mg/1g	0.0313	
Δ8-THCV per 1g†	< LOQ		mg/1g	0.0313	
Δ8-THC per 1g†	0.305		mg/1g	0.0313	
Δ9-THC per 1g	1.38		mg/1g	0.0313	
exo-THC per 1g†	< LOQ		mg/1g	0.0313	
THC-A per 1g	< LOQ		mg/1g	0.0313	
THC-Total per 1g	1.38		mg/1g	0.0588	
THCV per 1g†	< LOQ		mg/1g	0.0313	
THCV-A per 1g†	< LOQ		mg/1g	0.0313	
THCV-Total per 1g†	< LOQ		mg/1g	0.0589	
Total Cannabinoids per 1g	7.74		mg/1g		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2110589	11/26/21	AOAC 991.14 (Petrifilm)		X
Total Coliforms	< LOQ		cfu/g	10	2110589	11/26/21	AOAC 991.14 (Petrifilm)		X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2110590	11/27/21	AOAC 2014.05 (RAPID)		X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2110590	11/27/21	AOAC 2014.05 (RAPID)		X

Solvents	Method	Residual Solvents by GC/MS				Units µg/g	Batch 2110727	Analyze 12/01/21 08:47 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol†	< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glycol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	20.0	pass		Hexanes (sum)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol	< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	60.0	pass		Methylpropane (Isobutane)	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane	< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane	< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sum)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofuran	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes	< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass							



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Pesticides										
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2110676 Analyze 11/29/21 05:28 PM										
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass
Trifloxystrobin	< LOQ		0.100							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyte	Method	Status	Notes	
Arsenic	< LOQ	0.200	mg/kg	0.00544	2110769	12/01/21	AOAC 2013.06 (mod.)	pass	X	
Cadmium	< LOQ	0.200	mg/kg	0.00544	2110769	12/01/21	AOAC 2013.06 (mod.)	pass	X	
Lead	< LOQ	0.500	mg/kg	0.00544	2110769	12/01/21	AOAC 2013.06 (mod.)	pass	X	
Mercury	< LOQ	0.100	mg/kg	0.00272	2110769	12/01/21	AOAC 2013.06 (mod.)	pass	X	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/1g = Milligram per 1g

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

ORELAP ID: OR100028

Company Information		Analysis Requested												Purchase Order Information			
Company Name	Contact Person													Purchase Order Number:			
Address	Email													Project Number:			
Phone	Processor's License:													Project Name:			
		Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E. Coli and Total Coliform	Heavy Metals	Mycotoxins	Other	☐ Report Instructions: ☐ Send to State - METRC ☒ Email Final Results: ☐ Fax Final Results ☐ Cash/Check/CC/Net 30	Other:		
Field ID	Date/Time Collected													Matrix	Weight	Serving size for edibles	Comments/Metric ID
FORM-210111-GMY.D9.WTR5	11/23 1400			X													Laz Nat Discount
FORM-210111-GMY.D9.WTR5	11/23 1400								X	X							
FORM-210111-GMY.D9.WTR5	11/23 1400	X			X						X						
FORM-210211-GMY.D9.WTR5	11/23 1400			X													
FORM-210211-GMY.D9.WTR5	11/23 1400								X	X							
FORM-210211-GMY.D9.WTR5	11/23 1400	X			X						X						

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
☒ Standard (5 day) ☐ Rush (3-4 day) (1.5x Standard) ☐ Priority Rush (2 day) (2x Standard)							Client Alias: Order Number: Proper Container: Sample Condition: Temperature: 19.9°C Shipped Via: <i>Courier</i> Evidence of cooling: ☐ Yes ☒ No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023
Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Page 1 of 2



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision: 2 Document ID: 3120
Legacy ID: CFL-C21Effective:

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662 Units: mg/Kg Batch ID: 2110676										
Matrix Spike/Matrix Spike Duplicate Recoveries Sample ID: 21-013572-0001										
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes
Acephate	0.000	0.645	0.668	1.000	3.5%	< 30	64.5%	66.8%	50 - 150	
Acequinocyl	0.000	4.093	4.608	4.000	11.8%	< 30	102.3%	115.2%	50 - 150	
Acetamiprid	0.000	0.496	0.498	0.400	0.4%	< 30	124.0%	124.5%	50 - 150	
Aldicarb	0.000	3.136	1.545	0.800	68.0%	< 30	392.0%	193.1%	50 - 150	R, Q1
Abamectin	0.000	0.867	0.913	1.000	5.2%	< 30	86.7%	91.3%	50 - 150	
Azoxystrobin	0.000	0.515	0.480	0.400	7.0%	< 30	128.8%	120.0%	50 - 150	
Bifenazate	0.000	0.419	0.457	0.400	8.5%	< 30	104.9%	114.1%	50 - 150	
Bifenthrin	0.000	0.536	0.574	0.400	6.8%	< 30	134.0%	143.5%	50 - 150	
Boscalid	0.000	0.870	0.974	0.800	11.3%	< 30	108.7%	121.8%	50 - 150	
Carbaryl	0.000	0.482	0.517	0.400	7.1%	< 30	120.4%	129.3%	50 - 150	
Carbofuran	0.000	0.529	0.604	0.400	13.3%	< 30	132.3%	151.1%	50 - 150	Q1
Chlorantraniliprol	0.000	0.383	0.369	0.400	3.9%	< 30	95.8%	92.1%	50 - 150	
Chlorfenapyr	0.000	2.479	2.573	2.000	3.7%	< 30	124.0%	128.7%	50 - 150	
Chlorpyrifos	0.000	0.853	0.904	0.400	5.9%	< 30	213.2%	226.1%	50 - 150	Q1
Clofentezine	0.000	0.301	0.300	0.400	0.3%	< 30	75.1%	74.9%	50 - 150	
Cyfluthrin	0.000	2.073	2.046	2.000	1.3%	< 30	103.7%	102.3%	30 - 150	
Cypermethrin	0.000	2.056	2.081	2.000	1.2%	< 30	102.8%	104.1%	50 - 150	
Daminozide	0.000	0.537	0.536	2.000	0.2%	< 30	26.8%	26.8%	30 - 150	Q
Diazinon	0.000	0.414	0.429	0.400	3.4%	< 30	103.6%	107.2%	50 - 150	
Dichlorvos	0.000	2.579	2.420	2.000	6.4%	< 30	129.0%	121.0%	50 - 150	
Dimethoat	0.000	0.492	0.478	0.400	2.9%	< 30	122.9%	119.5%	50 - 150	
Ethoprophos	0.000	0.420	0.465	0.400	10.3%	< 30	104.8%	116.1%	50 - 150	
Etofenprox	0.000	1.087	1.269	0.800	15.4%	< 30	135.9%	158.6%	50 - 150	Q1
Etoxazol	0.000	0.363	0.437	0.400	18.5%	< 30	90.7%	109.2%	50 - 150	
Fenoxycarb	0.000	0.412	0.409	0.400	0.8%	< 30	103.1%	102.3%	50 - 150	
Fenpyroximat	0.000	0.886	0.897	0.800	1.2%	< 30	110.8%	112.1%	50 - 150	
Fipronil	0.000	1.207	1.067	0.800	12.4%	< 30	150.9%	133.3%	50 - 150	Q1
Flonicamid	0.000	0.891	0.885	1.000	0.7%	< 30	89.1%	88.5%	50 - 150	
Fludioxonil	0.000	0.823	0.917	0.800	10.9%	< 30	102.8%	114.7%	50 - 150	
Hexythiazox	0.000	1.074	1.113	1.000	3.6%	< 30	107.4%	111.3%	50 - 150	
Imazalil	0.000	0.440	0.443	0.400	0.6%	< 30	110.0%	110.8%	50 - 150	
Imidacloprid	0.000	0.769	0.747	0.800	2.9%	< 30	96.1%	93.3%	50 - 150	
Kresoxim-Methyl	0.000	0.850	0.884	0.800	4.0%	< 30	106.2%	110.5%	50 - 150	
Malathion	0.000	0.464	0.447	0.400	3.7%	< 30	115.9%	111.8%	50 - 150	
Metaxyl	0.000	0.483	0.454	0.400	6.2%	< 30	120.8%	113.6%	50 - 150	
Methiocarb	0.000	0.495	0.409	0.400	19.2%	< 30	123.8%	102.1%	50 - 150	
Methomyl	0.000	0.859	0.793	0.800	8.0%	< 30	107.4%	99.1%	50 - 150	
MKG 264	0.000	0.377	0.406	0.400	7.5%	< 30	94.2%	101.6%	50 - 150	
Myclobutanil	0.000	0.481	0.440	0.400	8.9%	< 30	120.2%	109.9%	50 - 150	
Naled	0.000	1.227	1.115	1.000	9.6%	< 30	122.7%	111.5%	50 - 150	
Oxamyl	0.000	2.087	2.056	2.000	1.5%	< 30	104.4%	102.8%	50 - 150	
Paclobutrazol	0.000	0.857	0.872	0.800	1.8%	< 30	107.1%	109.0%	50 - 150	
Parathion Methyl	0.000	1.065	1.042	0.800	2.2%	< 30	133.2%	130.3%	30 - 150	
Permethrin	0.000	0.406	0.396	0.400	2.5%	< 30	101.4%	99.0%	50 - 150	
Phosmet	0.000	0.478	0.478	0.400	0.0%	< 30	119.5%	119.5%	50 - 150	
Piperonyl butoxide	0.000	2.672	2.743	2.000	2.6%	< 30	133.6%	137.2%	50 - 150	
Prallethrin	0.000	0.306	0.327	0.400	6.4%	< 30	76.6%	81.6%	50 - 150	
Propiconazole	0.000	0.818	0.901	0.800	9.6%	< 30	102.2%	112.6%	50 - 150	
Propoxur	0.000	0.491	0.541	0.400	9.6%	< 30	122.8%	135.3%	50 - 150	
Pyrethrins	0.000	0.028	0.031	0.413	8.8%	< 30	6.8%	7.4%	50 - 150	Q
Pyridaben	0.000	0.379	0.405	0.400	6.6%	< 30	94.8%	101.3%	50 - 150	
Spinosad	0.000	0.514	0.479	0.388	6.9%	< 30	132.4%	123.5%	50 - 150	
Spiromesifen	0.000	0.374	0.420	0.400	11.6%	< 30	93.6%	105.1%	50 - 150	
Spirotetramat	0.000	0.366	0.360	0.400	1.5%	< 30	91.5%	90.1%	50 - 150	
Spiroxamine	0.000	0.819	0.877	0.800	6.8%	< 30	102.4%	109.6%	50 - 150	
Tebuconazole	0.000	0.902	0.963	0.800	6.5%	< 30	112.8%	120.3%	50 - 150	
Thiadoprid	0.000	0.482	0.494	0.400	2.5%	< 30	120.5%	123.5%	50 - 150	
Thiamethoxam	0.000	0.328	0.311	0.400	5.2%	< 30	81.9%	77.7%	50 - 150	
Trifloxystrobin	0.000	0.458	0.494	0.400	7.5%	< 30	114.6%	123.5%	50 - 150	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision: 2 Document ID: 3120
Legacy ID: CFL-C21Effective:

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg		Batch ID: 2110676				
Method Blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Accephate	0.010	< 0.250		0.913	1.000	91.3	71.9 - 134	
Acequinocyl	0.000	< 1.000		3.308	4.000	82.7	73.8 - 137	
Acetamiprid	0.000	< 0.100		0.406	0.400	101.5	75.0 - 139	
Aldicarb	0.000	< 0.200		1.579	0.800	197.4	87.3 - 162	Q1
Abamectin	0.000	< 0.250		0.968	1.000	96.8	77.1 - 143	
Azoxystrobin	0.000	< 0.100		0.380	0.400	94.9	72.6 - 135	
Bifenazate	0.000	< 0.100		0.372	0.400	93.0	75.1 - 140	
Bifenthrin	0.000	< 0.100		0.365	0.400	91.4	72.0 - 134	
Boscalid	0.000	< 0.200		0.739	0.800	92.4	75.3 - 140	
Carbaryl	0.000	< 0.100		0.421	0.400	105.4	74.7 - 139	
Carbofuran	0.000	< 0.100		0.408	0.400	102.0	74.2 - 138	
Chlorantraniliprol	0.000	< 0.100		0.379	0.400	94.8	70.3 - 130	
Chlorfenapyr	0.000	< 0.500		1.894	2.000	94.7	74.0 - 137	
Chlorpyrifos	0.000	< 0.100		0.457	0.400	114.2	71.5 - 133	
Clofentezine	0.000	< 0.100		0.167	0.400	41.8	42.9 - 79.6	Q6
Cyfluthrin	0.000	< 0.500		1.959	2.000	98.0	79.2 - 147	
Cypermethrin	0.000	< 0.500		1.917	2.000	95.8	77.4 - 144	
Daminozide	0.016	< 0.500		0.716	2.000	35.8	27.3 - 50.7	
Diazinon	0.000	< 0.100		0.388	0.400	96.9	76.0 - 141	
Dichlorvos	0.000	< 0.500		2.354	2.000	117.7	81.5 - 151	
Dimethoat	0.000	< 0.100		0.418	0.400	104.4	73.8 - 137	
Ethoprophos	0.000	< 0.100		0.380	0.400	94.9	74.7 - 139	
Etofenprox	0.000	< 0.200		0.745	0.800	93.1	73.3 - 136	
Etoxazol	0.000	< 0.100		0.318	0.400	79.5	88.0 - 163	Q6
Fenoxycarb	0.000	< 0.100		0.371	0.400	92.8	73.3 - 136	
Fenpyroximat	0.000	< 0.200		0.831	0.800	103.8	72.8 - 135	
Fipronil	0.000	< 0.200		0.813	0.800	101.6	73.9 - 137	
Flonicamid	0.000	< 0.250		1.116	1.000	111.6	75.9 - 141	
Fludioxonil	0.000	< 0.200		0.841	0.800	105.2	76.4 - 142	
Hexythiazox	0.000	< 0.250		0.989	1.000	98.9	70.8 - 132	
Imazalil	0.009	< 0.100		0.395	0.400	98.7	72.2 - 134	
Imidacloprid	0.000	< 0.200		0.812	0.800	101.5	74.6 - 139	
Kresoxim-Methyl	0.000	< 0.200		0.764	0.800	95.5	74.3 - 138	
Malathion	0.000	< 0.100		0.367	0.400	91.9	74.1 - 138	
Metaxalyl	0.009	< 0.100		0.411	0.400	102.8	74.0 - 137	
Methiocarb	0.000	< 0.100		0.361	0.400	90.3	74.9 - 139	
Methomyl	0.000	< 0.200		0.859	0.800	107.3	72.3 - 134	
MKG 264	0.000	< 0.100		0.412	0.400	102.9	76.0 - 141	
Myclobutanil	0.000	< 0.100		0.383	0.400	95.7	73.7 - 137	
Naled	0.000	< 0.250		0.494	1.000	49.4	38.6 - 71.7	
Oxamyl	0.000	< 0.500		2.151	2.000	107.5	73.3 - 136	
Paclobutrazol	0.000	< 0.200		0.756	0.800	94.6	74.4 - 138	
Parathion Methyl	0.000	< 0.200		0.828	0.800	103.6	72.5 - 135	
Permethrin	0.000	< 0.100		0.383	0.400	95.7	74.9 - 139	
Phosmet	0.000	< 0.100		0.361	0.400	90.2	74.0 - 137	
Piperonyl butoxide	0.000	< 0.500		2.143	2.000	107.2	75.1 - 140	
Prallethrin	0.001	< 0.100		0.388	0.400	97.1	72.5 - 135	
Propiconazole	0.085	< 0.200		0.712	0.800	89.0	75.5 - 140	
Propoxur	0.012	< 0.100		0.395	0.400	98.7	73.7 - 137	
Pyrethrins	0.009	< 0.100		0.032	0.413	7.8	72.2 - 134	Q6
Pyridaben	0.000	< 0.100		0.322	0.400	80.4	76.4 - 142	
Spinosad	0.000	< 0.100		0.422	0.388	108.7	75.8 - 141	
Spiromesifen	0.000	< 0.100		0.358	0.400	89.4	75.4 - 140	
Spirotetramat	0.000	< 0.100		0.375	0.400	93.8	72.8 - 135	
Spiroxamine	0.000	< 0.200		0.765	0.800	95.6	72.7 - 135	
Tebuconazol	0.000	< 0.200		0.742	0.800	92.8	74.1 - 138	
Thiadoprid	0.000	< 0.100		0.381	0.400	95.3	74.4 - 138	
Thiamethoxam	0.000	< 0.100		0.414	0.400	103.5	74.0 - 137	
Trifloxystrobin	0.000	< 0.100		0.434	0.400	108.4	73.9 - 137	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision Document ID
Legacy ID Effective

Laboratory Quality Control Results									
Batch ID: 2 0727									
Residual Solvents				Laboratory Control Sample					
Method Blank	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Analyte									
Propane	ND	200		0	9.8	µg/g	0	0	
Isobutane	ND	200		350	260	µg/g	0	0	
Butane	ND	200		350	260	µg/g	0	0	
2,2-Dimethylpropane	ND	200		9.0	600	µg/g	23	0	
Methanol	ND	200		660	6.0	µg/g	03	0	
Ethylene Oxide	ND	30		3	95	µg/g	8	0	
2-Methylbutane	ND	200		650	6.0	µg/g	02.5	0	
Pentane	ND	200		620	6.0	µg/g	99	0	
Ethanol	ND	200		560	6.0	µg/g	96.9	0	
Ethyl Ether	ND	200		0	6.0	µg/g	9.3	0	
2,2-Dimethylbutane	ND	30		53	6	µg/g	93.3	0	
Acetone	ND	200		530	6.0	µg/g	95.0	0	
2-Propanol	ND	200		580	6.0	µg/g	98	0	
Ethyl Formate	ND	500		5.0	6.0	µg/g	93.8	0	
Acetonitrile	ND	00		66	8	µg/g	96.3	0	
Methyl Acetate	ND	500		5.0	6.0	µg/g	9.5	0	
2,3-Dimethylbutane	ND	30		59	6	µg/g	95.2	0	
Dichloromethane	ND	60		39	9	µg/g	89	0	
2-Methylpentane	ND	30		53	65	µg/g	92	0	
MIBK	ND	500		5.0	600	µg/g	98	0	
3-Methylpentane	ND	30		5	2	µg/g	9.3	0	
Hexane	ND	30		5	6	µg/g	90	0	
Propanol	ND	500		5.0	6.0	µg/g	95	0	
Methyl ethyl ketone	ND	500		530	620	µg/g	9.0	0	
Ethyl acetate	ND	200		50	6.0	µg/g	90	0	
2-Butanol	ND	200		30	6.0	µg/g	88.8	0	
tetrahydrofuran	ND	00		25	83	µg/g	88.2	0	
Cyclohexane	ND	200		02	6.0	µg/g	8.0	0	
2-methyl propanol	ND	500		5.0	620	µg/g	95	0	
Benzene	ND			29	5.38	µg/g	80.0	0	
Isopropyl Acetate	ND	200		0	620	µg/g	90	0	
Heptane	ND	200		30	6.0	µg/g	88.8	0	
Butanol	ND	500		5.0	6.0	µg/g	93.8	0	
Propyl Acetate	ND	500		3.0	620	µg/g	8.6	0	
Dioxane	ND	00		00	89	µg/g	8.8	0	
2-Ethoxyethanol	ND	30		8	6	µg/g	88.6	0	
Methyl isobutyl ketone	ND	500		60	6.0	µg/g	90	0	
3-Methyl butanol	ND	500		0	6.0	µg/g	89	0	
Ethylene Glycol	ND	200		50	50	µg/g	82	0	
o-xylene	ND	200		38	8	µg/g	9.3	0	
Isobutyl Acetate	ND	500		6.0	6.0	µg/g	93.2	0	
Pentanol	ND	500		350	6.0	µg/g	83.9	0	
Butyl Acetate	ND	500		500	620	µg/g	92.6	0	
Ethyl benzene	ND	200		33	68	µg/g	5	0	
m,p-Xylene	ND	200		5	9	µg/g	2	0	
o-Xylene	ND	200			962	µg/g	5.8	0	
Cumene	ND	30		2	69	µg/g	3	0	
Anisole	ND	500		350	630	µg/g	82.8	0	
DMSO	ND	500		320	630	µg/g	8.0	0	
2,2-dimethoxyethane	ND	50		66	62	µg/g	03	0	
triethylamine	ND	500		590	6.0	µg/g	95.2	0	
N,N-dimethylformamide	ND	50		53	502	µg/g	90.2	0	
N,N-dimethylacetamide	ND	50		05	85	µg/g	83.5	0	
Pyridine	ND	50		50	66	µg/g	90	0	
2,2-Dichloroethane	ND			0.925		µg/g	92.6	0	
Chloroform	ND			0.88		µg/g	88	0	
richloroethylene	ND			0.9		µg/g	9	0	
Ethylene Oxide	ND			0.93		µg/g	93	0	
Dichloromethane	ND			0.863		µg/g	86.3	0	
Benzene	ND			0.83		µg/g	83.0	0	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision Document ID
Legacy ID Effective

QC Sample Duplicate		Sample ID: 21 013830 0001					
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Isobutane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Butane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
2,2 Dimethylpropane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Methanol	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl ene Ox de	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Methylbutane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Pentane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethanol	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl Ether	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
2,2 Dimethylbutane	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
Acetone	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Propanol	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl Formate	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Acetonitrile	ND	ND	00 $\mu\text{g/g}$	0.0	20	Acceptable	
Methyl Acetate	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
2,3 Dimethylbutane	ND	ND	10 $\mu\text{g/g}$	0.0	20	Acceptable	
Dichloromethane	ND	ND	60 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Methylpentane	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
M BE	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
3 Methylpentane	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
Hexane	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
Propanol	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Methyl ethylketone	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl acetate	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Butanol	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
etrahydrofuran	ND	ND	00 $\mu\text{g/g}$	0.0	20	Acceptable	
Cyclohexane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
2 methyl propanol	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Benzene	ND	ND	10 $\mu\text{g/g}$	0.0	20	Acceptable	
Isopropyl Acetate	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Heptane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Butanol	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Propyl Acetate	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Dioxane	ND	ND	00 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Ethoxyethanol	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
Methyl isobutylketone	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
3 Methyl butanol	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl ene Glycol	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
o xane	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Isobutyl Acetate	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Pentanol	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Butyl Acetate	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl benzene	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
m p Xylene	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
o Xylene	ND	ND	200 $\mu\text{g/g}$	0.0	20	Acceptable	
Cumene	ND	ND	30 $\mu\text{g/g}$	0.0	20	Acceptable	
Anisole	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
DMSO	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
2 d methoxyethane	ND	ND	50 $\mu\text{g/g}$	0.0	20	Acceptable	
riethylamine	ND	ND	500 $\mu\text{g/g}$	0.0	20	Acceptable	
N N dimethylformamide	ND	ND	50 $\mu\text{g/g}$	0.0	20	Acceptable	
N N dimethylacetam de	ND	ND	50 $\mu\text{g/g}$	0.0	20	Acceptable	
Pyridine	ND	ND	50 $\mu\text{g/g}$	0.0	20	Acceptable	
2 Dichloroethane	ND	ND	100 $\mu\text{g/g}$	0.0	20	Acceptable	
Chloroform	ND	ND	100 $\mu\text{g/g}$	0.0	20	Acceptable	
richloroethylene	ND	ND	100 $\mu\text{g/g}$	0.0	20	Acceptable	
Ethyl ene Ox de	ND	ND	100 $\mu\text{g/g}$	0.0	20	Acceptable	
Dichloromethane	ND	ND	100 $\mu\text{g/g}$	0.0	20	Acceptable	
Benzene	ND	ND	100 $\mu\text{g/g}$	0.0	2	Acceptable	

Abbreviations

ND None Detected at or above MRL
RPD Relative Percent Difference
LOQ Limit of Quantitation

Units of Measure:

$\mu\text{g/g}$ Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision Documen D
Legacy D Effective

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2110747								
Laboratory Control Sample								
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes	
CBDVA	0.00978	0.01	%	97.8	85.0 - 115	Acceptable		
CBDV	0.0104	0.01	%	104	85.0 - 115	Acceptable		
CBE	0.0106	0.01	%	106	85.0 - 115	Acceptable		
CBDA	0.0107	0.01	%	107	85.0 - 115	Acceptable		
CBGA	0.00989	0.01	%	98.9	85.0 - 115	Acceptable		
CBG	0.0103	0.01	%	103	85.0 - 115	Acceptable		
CBD	0.0110	0.01	%	110	85.0 - 115	Acceptable		
THCV	0.0103	0.01	%	103	85.0 - 115	Acceptable		
d8THCV	0.00992	0.01	%	99.2	85.0 - 115	Acceptable		
THCVA	0.00935	0.01	%	93.5	85.0 - 115	Acceptable		
CBN	0.0109	0.01	%	109	85.0 - 115	Acceptable		
exo-THC	0.00964	0.01	%	96.4	85.0 - 115	Acceptable		
d9THC	0.0106	0.01	%	106	85.0 - 115	Acceptable		
d8THC	0.00988	0.01	%	98.8	85.0 - 115	Acceptable		
CBL	0.00928	0.01	%	92.8	85.0 - 115	Acceptable		
CBC	0.0103	0.01	%	103	85.0 - 115	Acceptable		
THCA	0.0106	0.01	%	106	85.0 - 115	Acceptable		
CBCA	0.00937	0.01	%	93.7	85.0 - 115	Acceptable		
CBLA	0.00973	0.01	%	97.3	85.0 - 115	Acceptable		
CBT	0.00921	0.01	%	92.1	85.0 - 115	Acceptable		

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.003	%	< 0.003	Acceptable		
CBDV	<LOQ	0.003	%	< 0.003	Acceptable		
CBE	<LOQ	0.003	%	< 0.003	Acceptable		
CBDA	<LOQ	0.003	%	< 0.003	Acceptable		
CBGA	<LOQ	0.003	%	< 0.003	Acceptable		
CBG	<LOQ	0.003	%	< 0.003	Acceptable		
CBD	<LOQ	0.003	%	< 0.003	Acceptable		
THCV	<LOQ	0.003	%	< 0.003	Acceptable		
d8THCV	<LOQ	0.003	%	< 0.003	Acceptable		
THCVA	<LOQ	0.003	%	< 0.003	Acceptable		
CBN	<LOQ	0.003	%	< 0.003	Acceptable		
exo-THC	<LOQ	0.003	%	< 0.003	Acceptable		
d9THC	<LOQ	0.003	%	< 0.003	Acceptable		
d8THC	<LOQ	0.003	%	< 0.003	Acceptable		
CBL	<LOQ	0.003	%	< 0.003	Acceptable		
CBC	<LOQ	0.003	%	< 0.003	Acceptable		
THCA	<LOQ	0.003	%	< 0.003	Acceptable		
CBCA	<LOQ	0.003	%	< 0.003	Acceptable		
CBLA	<LOQ	0.003	%	< 0.003	Acceptable		
CBT	<LOQ	0.003	%	< 0.003	Acceptable		

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Revision Document D
Legacy Document Effective

Laboratory Quality Control Results

J AOAC 2015 V98-6						Batch ID: 2110747		
Sample Duplicate						Sample ID: 21-013826-0001		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD A	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	0.595	0.592	0.003	%	0.580	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
d9THC	0.135	0.135	0.003	%	0.566	< 20	Acceptable	
d8THC	0.0300	0.0307	0.003	%	2.00	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation
NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-013827/D002.R000
Report Date: 12/02/2021
ORELAP#: OR100028
Purchase Order:
Received: 11/23/21 14:55

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.