

PRODUCT NAME

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU BATCH #

SERVING SIZE

LABORATORY: OREGON ACCREDITATION: OR100028

LOQ: Limit Of Quantitation LOD: Limit Of Detection

1 g = 10^{-3} kg = 10^{3} mg = 10^{6} μ g 1 mg/kg = 1 ppm = 1000

ppb

POTENCY	PER SERVING	PER GRAM	Percent
Cannabidiol (CBD)	mg/serving	mg/g	%
Total THC (d9-THC, THCA)	mg/serving	mg/g	%
Cannabigerol (CBG)	mg/serving	mg/g	%
Cannabinol (CBN)	mg/serving	mg/g	%
Cannabichromene (CBC)	mg/serving	mg/g	%
Tetrahydrocannabinolic Acid (THCA)	mg/serving	mg/g	%
Delta-9-THC (d9-THC)	mg/serving	mg/g	%
Delta-8-THC (d8-THC)	mg/serving	mg/g	%

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	μg/serving	μg/g	10 μg/day ^[1]
Cadmium	μg/serving	μg/g	4.1 μg/day ^[1]
Lead	μg/serving	μg/g	3.5 µg/day ^[2]
Mercury	μg/serving	μg/g	2 μg/day ^[1]

PESTICIDES REGULATORY ACTION LEVEL

Results

None of the other 59 pesticides tested found above limit of detection in the sample.

10 ppb [1]

REGULATORY ACTION LEVEL

Ethanol

RESIDUAL SOLVENTS

Heptane

None of the 34 residual solvents tested found above limit of quantitation in the sample.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass



^{1.} American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP

[.] US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

Customer: Etz Hayim Holdings

Product identity: FORM-DL19-SLZ.D9.CH5

Client/Metrc ID:

Laboratory ID: 21-014539-0001

Summary

Potency:

Analyte per 1g	Result Limit	s Units	Status	CBD-Total per 1g	0.0387 mg/1g
CBD per 1g	0.0387	mg/1g		-	
Δ8-THC per 1g [†]	0.00215	mg/1g		TUO Tatalana 4	0.0166 mg/1g
Δ9-THC per 1g	0.0166	mg/1g		THC-Total per 1g	
				(Reported in mill	igrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Analyte	Result	Units	Limit	Status A	nalyte	Result	Unit	Limit	Status
Lead	0.0119	mg/kg	0.500	pass	Arsenic	0.00372	mg/kg	0.200	pass





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

Customer: Etz Hayim Holdings

16427 NE Airport Way PORTLAND 97230

United States of America (USA)

Product identity: FORM-DL19-SLZ.D9.CH5

Client/Metrc ID: .

Sample Date:

Laboratory ID: 21-014539-0001

Evidence of Cooling: No
Temp: 10.5 °C
Relinquished by: client
Serving Size #1: 1 g

Density:

Sample Results

Potency per 1g	Method J AOA	.C 2015 V98-6 (mod) Units mg/se B	atch: 2111162	Analyze: 12/15/21 7:19:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 1g [†]	< LOQ	mg/1g	0.360	
CBC-A per 1g [†]	< LOQ	mg/1g	0.360	
CBC-Total per 1g [†]	< LOQ	mg/1g	0.676	
CBD per 1g	0.0387	mg/1g	0.000994	
CBD-A per 1g	< LOQ	mg/1g	0.360	
CBD-Total per 1g	0.0387	mg/1g	0.00187	
CBDV per 1g [†]	< LOQ	mg/1g	0.360	
CBDV-A per 1g [†]	< LOQ	mg/1g	0.360	
CBDV-Total per 1g [†]	< LOQ	mg/1g	0.672	
CBE per 1g [†]	< LOQ	mg/1g	0.360	
CBG per 1g [†]	< LOQ	mg/1g	0.360	
CBG-A per 1g [†]	< LOQ	mg/1g	0.360	
CBG-Total per 1g [†]	< LOQ	mg/1g	0.672	
CBL per 1g [†]	< LOQ	mg/1g	0.360	
CBL-A per 1g [†]	< LOQ	mg/1g	0.360	
CBL-Total per 1g [†]	< LOQ	mg/1g	0.676	
CBN per 1g	< LOQ	mg/1g	0.360	
CBT per 1g [†]	< LOQ	mg/1g	0.360	
$\Delta 8$ -THCV per 1g †	< LOQ	mg/1g	0.360	
$\Delta 8$ -THC per 1g †	0.00215	mg/1g	0.000994	
$\Delta 9$ -THC per 1g	0.0166	mg/1g	0.000994	
exo-THC per 1g [†]	< LOQ	mg/1g	0.360	
THC-A per 1g	< LOQ	mg/1g	0.360	
THC-Total per 1g	0.0166	mg/1g	0.00187	
THCV per 1g [†]	< LOQ	mg/1g	0.360	
THCV-A per 1g [†]	< LOQ	mg/1g	0.360	
THCV-Total per 1g [†]	< LOQ	mg/1g	0.676	
Total Cannabinoids per 1g	0.0575	mg/1g		

www.columbialaboratories.com

Page 2 of 11





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

12/13/21 12:00 Received:

Solvents	Method	Residua	l Solve	ents by GC/N	S Units μg/g	Batch 21	11202	Analyz	e 12/1	7/21	10:13 AM
Analyte	Result	Limits	LOQ :	Status Note	Analyte		Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass	2-Butanol		< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass	2-Methylbuta (Isopentane)	ne	< LOQ		200		
2-Methylpentane	< LOQ		30.0		2-Propanol (I	PA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0		2,2-Dimethylp (neo-pentane	•	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0		3-Methylpenta	ane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass	Acetonitrile		< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass	Butanes (sum	n)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass	Ethanol [†]		< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass	Ethyl benzen	е	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass	Ethylene glyc	ol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	20.0	pass	Hexanes (sur	m)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass	Isopropylbenz (Cumene)	zene	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200		Methanol		< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	60.0	pass	Methylpropan (Isobutane)	ie	< LOQ		200		
n-Butane	< LOQ		200		n-Heptane		< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0		n-Pentane		< LOQ		200		
o-Xylene	< LOQ		200		Pentanes (su	m)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass	Tetrahydrofur	an	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass	Total Xylenes	3	< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass							





Report Number: 21-014539/D003.R000

12/20/2021 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 12/13/21 12:00

Pesticides	Method	AOAC	2007.01 & EN	15662 (mod)	Units mg/kg Batc	:h 2111182	Analy	ze 12/16/21 04:03 PM
Analyte	Result	Limits	LOQ Status	Notes	Analyte	Result	Limits	LOQ Status Notes
Abamectin	< LOQ	0.50	0.250 pass		Acephate	< LOQ	0.40	0.250 pass
Acequinocyl	< LOQ	2.0	1.00 pass		Acetamiprid	< LOQ	0.20	0.100 pass
Aldicarb	< LOQ	0.40	0.200 pass		Azoxystrobin	< LOQ	0.20	0.100 pass
Bifenazate	< LOQ	0.20	0.100 pass		Bifenthrin	< LOQ	0.20	0.100 pass
Boscalid	< LOQ	0.40	0.200 pass		Carbaryl	< LOQ	0.20	0.100 pass
Carbofuran	< LOQ	0.20	0.100 pass		Chlorantraniliprole	< LOQ	0.20	0.100 pass
Chlorfenapyr	< LOQ	1.0	0.500 pass		Chlorpyrifos	< LOQ	0.20	0.100 pass
Clofentezine	< LOQ	0.20	0.100 pass		Cyfluthrin	< LOQ	1.0	0.500 pass
Cypermethrin	< LOQ	1.0	0.500 pass		Daminozide	< LOQ	1.0	0.500 pass
Diazinon	< LOQ	0.20	0.100 pass		Dichlorvos	< LOQ	1.0	0.500 pass
Dimethoate	< LOQ	0.20	0.100 pass		Ethoprophos	< LOQ	0.20	0.100 pass
Etofenprox	< LOQ	0.40	0.200 pass		Etoxazole	< LOQ	0.20	0.100 pass
Fenoxycarb	< LOQ	0.20	0.100 pass		Fenpyroximate	< LOQ	0.40	0.200 pass
Fipronil	< LOQ	0.40	0.200 pass		Flonicamid	< LOQ	1.0	0.400 pass
Fludioxonil	< LOQ	0.40	0.200 pass		Hexythiazox	< LOQ	1.0	0.400 pass
lmazalil	< LOQ	0.20	0.100 pass		Imidacloprid	< LOQ	0.40	0.200 pass
Kresoxim-methyl	< LOQ	0.40	0.200 pass		Malathion	< LOQ	0.20	0.100 pass
Metalaxyl	< LOQ	0.20	0.100 pass		Methiocarb	< LOQ	0.20	0.100 pass
Methomyl	< LOQ	0.40	0.200 pass		MGK-264	< LOQ	0.20	0.100 pass
Myclobutanil	< LOQ	0.20	0.100 pass		Naled	< LOQ	0.50	0.250 pass
Oxamyl	< LOQ	1.0	0.500 pass		Paclobutrazole	< LOQ	0.40	0.200 pass
Parathion-Methyl	< LOQ	0.20	0.200 pass		Permethrin	< LOQ	0.20	0.100 pass
Phosmet	< LOQ	0.20	0.100 pass		Piperonyl butoxide	< LOQ	2.0	1.00 pass
Prallethrin	< LOQ	0.20	0.200 pass		Propiconazole	< LOQ	0.40	0.200 pass
Propoxur	< LOQ	0.20	0.100 pass		Pyrethrin I (total)	< LOQ	1.0	0.500 pass
Pyridaben	< LOQ	0.20	0.100 pass		Spinosad	< LOQ	0.20	0.100 pass
Spiromesifen	< LOQ	0.20	0.100 pass		Spirotetramat	< LOQ	0.20	0.100 pass
Spiroxamine	< LOQ	0.40	0.200 pass		Tebuconazole	< LOQ	0.40	0.200 pass
Thiacloprid	< LOQ	0.20	0.100 pass		Thiamethoxam	< LOQ	0.20	0.100 pass
Trifloxystrobin	< LOQ	0.20	0.100 pass					

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Arsenic	0.00372	0.200	mg/kg	0.00197	2111256	12/17/21	AOAC 2013.06 (mod.)	pass	Χ
Cadmium	< LOQ	0.200	mg/kg	0.00197	2111256	12/17/21	AOAC 2013.06 (mod.)	pass	Χ
Lead	0.0119	0.500	mg/kg	0.00197	2111256	12/17/21	AOAC 2013.06 (mod.)	pass	X
Mercury	< LOQ	0.100	mg/kg	0.00098	2111256	12/17/21	AOAC 2013.06 (mod.)	pass	Χ





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram $\mu g/g = Microgram per gram$ mg/kg = Milligram per kilogram = parts per million (ppm) mg/1g = Milligram per 1g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794 Cannabis Chain of Custody Record

Company: ETZHH IN	VC								Α	nalys	is Re	quest	ted					Purchase Order Number:		
Contact: Tyler Ashmore Address: 16427 NE Airpo		v		spun														Project Number: Project Name:		
Email: testing@ lazarusni				про										Ϋ́						
Phone: 360-921-4247 Fax: Processor's License:		one: 360-921-4247 Fax:		Fax: spunodwoo		esidue – 379 compounds						Mold	Micro: E.Coli and Total Coliform							☐ Report Instructions: ☐ Send to State - METRC ☑ Email Final Results: ☐ Fax Final Results ☐ Cash/Check/CC/Net 30
			s-OR 59	Multi-Re		Solvents	tivity	1		ast and	Coli and	etals	SU			-		Other:		
Field ID	Date/ Colle	Time	Pesticides	Pesticide Multi-Residue	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.	Heavy Metals	Mycotoxins	Other	Matrix	Weigh	Serving size t for edible	5 Comments/Metrc ID		
FORM-DL19-SLZ.D9.CH5	12/13	1135	X		X	X						X						Laz Nat Discount		
FORM-DL19-SLZ.D9.CH5	12/13	1135								X	X		J				. 5			
																		Rusin		
												-			-			paraellel		
									Ħ											
Collected By:	Relinqu	ished E	y:			Date		Time		Recei	ved b	y:			Date		C	Lab Use Only: Client Alias:		
☑Standard (5 day)	Tyler	Ashn	nore			12/	13	12:	00		7	25			12/13	121	17100	rder Number:		
																	Sa	emperature: 10.5°C		
□Priority Rush (2 day) (2x Standard)					-												SI	nipped Via: Cleart		

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2





Report Number: 21-014539/D003.R000

12/20/2021 Report Date: ORELAP#: OR100028

Purchase Order:

Received: 12/13/21 12:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

	Laboratory Quality Control Results													
JAOAC2015 V98	3-6		-	Bat	ch ID: 2111162									
Laboratory Contr	ol Sample													
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes							
CBDVA	0.000972	0.001	%	97.2	85.0 - 115	Acceptable								
OBDV	0.00102	0.001	%	102	85.0 - 115	Acceptable								
CBE	0.00102	0.001	%	102	85.0 - 115	Acceptable								
CBDA	0.00102	0.001	%	102	85.0 - 115	Acceptable								
OBGA .	0.000981	0.001	%	98.1	85.0 - 115	Acceptable								
OBG	0.00101	0.001	%	101	85.0 - 115	Acceptable								
CBD	0.00107	0.001	%	107	85.0 - 115	Acceptable								
THCV	0.00101	0.001	%	101	85.0 - 115	Acceptable								
d8THCV	0.00103	0.001	%	103	85.0 - 115	Acceptable								
THCVA	0.000949	0.001	%	94.9	85.0 - 115	Acceptable								
CBN	0.00108	0.001	%	108	85.0 - 115	Acceptable								
exo-THC	0.000965	0.001	%	96.5	85.0 - 115	Acceptable								
d9THC	0.00104	0.001	%	104	85.0 - 115	Acceptable								
d8THC	0.00105	0.001	%	105	85.0 - 115	Acceptable								
CBL	0.000965	0.001	%	96.5	85.0 - 115	Acceptable								
CBC	0.00108	0.001	%	108	85.0 - 115	Acceptable								
THCA	0.000980	0.001	%	98.0	85.0 - 115	Acceptable								
OBCA .	0.000991	0.001	%	99.1	85.0 - 115	Acceptable								
CBLA	0.00102	0.001	%	102	85.0 - 115	Acceptable								
OBT	0.00104	0.001	%	104	85.0 - 115	Acceptable								

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBDV	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
ŒE	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
OBDA .	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
OBGA .	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
OBG	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBD	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
THCV	<1.00	0.0001	%	< 0.0001	Acceptable	
d8THCV	<1.00	0.0001	%	< 0.0001	Acceptable	
THCVA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBN	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
exo-THC	<1.00	0.0001	%	< 0.0001	Acceptable	
d9THC	<1.00	0.0001	%	< 0.0001	Acceptable	
d8THC	<1.00	0.0001	%	< 0.0001	Acceptable	
CBL	<1.00	0.0001	%	< 0.0001	Acceptable	
OBC	<1.00	0.0001	%	< 0.0001	Acceptable	
THCA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
OBCA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBLA	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	
CBT C	<l0q< td=""><td>0.0001</td><td>%</td><td>< 0.0001</td><td>Acceptable</td><td></td></l0q<>	0.0001	%	< 0.0001	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

%- Percent





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/13/21 12:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labor	atory	Quality Co	ntrol Results						
JAOAC2015 V9	8-6											
Sample Duplicat	e			Sample ID: 21-014457-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes				
CBDVA	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBDV	4L0Q	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBE	4L0Q	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBDA .	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBGA	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBG	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBD .	0.00721	0.00720	0.0001	%	0.180	< 20	Acceptable					
THCV	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
d8THCV	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
THCVA	4L0Q	≺LOQ	0.0001	%	NA	< 20	Acceptable					
CBN	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
exo-THC	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
d9THC	<100	≺LOQ	0.0001	%	NA	< 20	Acceptable					
d8THC	√10Q	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable					
CBL	√10Q	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable					
OBC	4L0Q	≺LOQ	0.0001	%	NA	< 20	Acceptable					
THCA	4L0Q	≺LOQ	0.0001	%	NA	< 20	Acceptable					
OBCA .	4L0Q	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable					
CBLA	4.0Q	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable					
ŒT	<1.00Q	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable					

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

%- Percent





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/13/21 12:00

Revision: Document ID: Legacy ID: Effective:

	غا	borator	y Qual	ity Contro	ol Results						
Residual Solvents						Bat	tch ID:	21112	02		
Method Blank					Laborator	ry Control Sa	ample				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	Li	mits	Notes
Propane	ND	<	200		1050	948	µg/g	110.8	70	- 130	
Isobutane	ND	<	200		1430	1260	µg/g	113.5	70	- 130	
Butane	ND	<	200		1430	1260	µg/g	113.5	70	- 130	
2,2-Dimethylpropane	ND	<	200		1750	1600	µg/g	109.4	70	- 130	
Methanol	ND	<	200		1690	1610	µg/g	105.0	70	- 130	
Ethylene Oxide	ND	<	30		109	95.7	µg/g	113.9	70	- 130	
2-Methylbutane	ND	<	200		1790	1630	µg/g	109.8	70	- 130	
Pentane	ND	<	200		1770	1610	µg/g	109.9	70	- 130	
Ethanol	ND	<	200		1920	1630	µg/g	117.8	70	- 130	
Ethyl Ether	ND	<	200		1820	1610	µg/g	113.0	70	- 130	
2,2-Dimethylbutane	ND	<	30		190	165	µg/g	115.2	70	- 130	
Acetone	ND	<	200		1810	1610	µg/g	112.4	70	- 130	
2-Propanol	ND	<	200		1760	1610	µg/g	109.3	70	- 130	
Acetonitrile	ND	<	100		537	498	µg/g	107.8	70	- 130	
2,3-Dimethylbutane	ND	<	30		172	162	µg/g	106.2	70	- 130	
Dichloromethane	ND	<	60		572	498	µg/g	114.9	70	- 130	
2-Methylpentane	ND	<	30		188	167	µg/g	112.6	70	- 130	
3-Methylpentane	ND	<	30		205	179	µg/g	114.5	70	- 130	
Hexane	ND	<	30		187	164	µg/g	114.0	70	- 130	
Ethyl acetate	ND	<	200		1760	1620	µg/g	108.6	70	- 130	
2-Butanol	ND	<	200		1750	1600	µg/g	109.4	70	- 130	
Tetrahydrofuran	ND	<	100		586	500	µg/g	117.2	70	- 130	
Cyclohexane	ND	<	200		1850	1610	µg/g	114.9	70	- 130	
Benzene	ND	<	1		6.8	5.62	µg/g	121.0	70	- 130	
Isopropyl Acetate	ND	<	200		1910	1610	µg/g	118.6	70	- 130	
Heptane	ND	<	200		1760	1610	µg/g	109.3	70	- 130	
1,4-Dioxane	ND	<	100		531	502	µg/g	105.8	70	- 130	
2-Ethoxyethanol	ND	<	30		173	164	µg/g	105.5	70	- 130	
Ethylene Glycol	ND	<	200		519	502	µg/g	103.4	70	- 130	
Tduene	ND	<	200		479	488	µg/g	98.2	70	- 130	
Efhylbenzene	ND	<	200		918	965	µg/g	95.1	70	- 130	
m,p-Xylene	ND	<	200		965	990	µg/g	97.5	70	- 130	
o-Xylene	ND	<	200		909	971	µg/g	93.6	70	- 130	
Cumene	ND	<	30		164	179	µg/g	91.6	70	- 130	





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

12/13/21 12:00 Received:

Revision: Document ID: Legacy ID: Effective:

		0 0 "	100 113	~~~	11 14	A	
Analyte		Org. Result	LOQ Unit		Limits	Accept/Fail	Notes
Propane	ND	ND	200 μg/g		< 20	Acceptable	
sobutane	ND	ND	200 μg/g		< 20	Acceptable	
Butane	1450	1260	200 μg/g		< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 μg/g		< 20	Acceptable	
Methanol	ND	ND	200 μg/g		< 20	Acceptable	
Ethylene Oxide	ND	ND	30 μg/g		< 20	Acceptable	
2-Methylbutane	ND	ND	200 μg/g		< 20	Acceptable	
Pentane	ND	ND ND	200 μg/g 200 μg/g		< 20 < 20	Acceptable	
Ethanol	ND					Acceptable	
Ethyl Ether	ND	ND	200 μg/g		< 20	Acceptable	
2,2-Dimethylbutane	ND ND	ND ND	30 μg/g 200 μg/g		< 20 < 20	Acceptable	
Acetone 2-Propanol	ND ND	ND ND			< 20 < 20	Acceptable Acceptable	
z-Propanoi Acetonitrile	ND ND	ND ND			< 20 < 20	Acceptable Acceptable	
Acetonitrile 2.3-Dimethylbutane	ND ND	ND ND			< 20		
	ND ND	ND ND			< 20	Acceptable Acceptable	
Dichloromethane 2-Methylpentane	ND ND	ND ND	60 μg/g 30 μg/g		< 20	Acceptable Acceptable	
3-Methylpentane	ND ND	ND ND	30 μg/g		< 20	Acceptable	
3-Metriyiperitane Hexane	ND ND	ND ND	30 μg/g		< 20	Acceptable	
Ethyl acetate	ND ND	ND ND	200 μg/g		< 20	Acceptable	
2-Butanol	ND ND	ND ND	200 μg/g		< 20	Acceptable	
Tetrahydrofuran	ND	ND ND	200 μg/g		< 20	Acceptable	
Cyclohexane	ND	ND	200 μg/g		< 20	Acceptable	
Benzene	ND ND	ND ND	200 μg/g		< 20	Acceptable	
sopropyl Acetate	ND	ND	200 μg/g		< 20	Acceptable	
Heptane	ND	ND	200 μg/g		< 20	Acceptable	
1,4-Dioxane	ND	ND	100 μg/g		< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 μg/g		< 20	Acceptable	
fhylene Glycol	ND	ND	200 μg/g		< 20	Acceptable	
Cduene Company	ND	ND	200 μg/g		< 20	Acceptable	
fhylbenzene	ND	ND	200 μg/g		< 20	Acceptable	
n,p-Xylene	ND	ND	200 μg/g		< 20	Acceptable	
>-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ- Limit of Quantitation

Units of Measure:

μg/g- Microgram per gram or ppm





Report Number: 21-014539/D003.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/13/21 12:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





Report Number: 21-014539/D002.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

Customer: Etz Hayim Holdings

Product identity: FORM-DL19-SLZ.D9.CH5

Client/Metrc ID:

Laboratory ID: 21-014539-0002

Summary

Microbiology:

Less than LOQ for all analytes.





503-254-1794

Etz Hayim Holdings

16427 NE Airport Way PORTLAND 97230

United States of America (USA)

Product identity: FORM-DL19-SLZ.D9.CH5

Client/Metrc ID: .

Sample Date:

Customer:

Laboratory ID: 21-014539-0002

Evidence of Cooling: No
Temp: 10.5 °C
Relinquished by: client

Report Number: 21-014539/D002.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

Sample Results

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status Notes
E.coli	< LOQ		cfu/g	10	2111090	12/16/21	AOAC 991.14 (Petrifilm)	Х
Total Coliforms	< LOQ		cfu/g	10	2111090	12/16/21	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2111092	12/17/21	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2111092	12/17/21	AOAC 2014.05 (RAPID)	X





Report Number: 21-014539/D002.R000

Report Date: 12/20/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/13/21 12:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

cfu/g = Colony forming units per gram % wt = μ g/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-014539/D002.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

12/13/21 12:00 Received:

ORFLAP ID: OR100028



Cannabis Chain of Custody Record 12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

					_				_			_					Onco	10.011200020						
Company: ETZHH INC			Analysis Requested											Purchase Order Number:										
Contact: Tyler Ashmore				S														Project Number:						
Address: 16427 NE Airpo	ort Way		oort Way		port Way					spunodwoo														Project Name:
_{mail:} testing@ lazarusna	aturals	.com		дшо							_			1				☐ Report Instructions:						
Phone: 360-921-4247	Fax:		compounds	379 c							Coliform				ì			☐ Send to State - METRC						
Processor's License:				1		rents	ź			and Mold	and Total Col	S						☑ Email Final Results: ☐ Fax Final Results ☐ Cash/Check/CC/Net 30 Other:						
Field ID	Date/ Colle	Time cted	Pesticides – OR	Pesticide Multi-Residue	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: F.Coli and Total	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edible							
FORM-DL19-SLZ.D9.CH5	12/13	1135	Х		X	X						X						Laz Nat Discount						
FORM-DL19-SLZ.D9.CH5	12/13	1135	2.7			-			JE 9	X	X		J-1				0							
																		Runin						
														F				parallel						
Collected By:	Relinquished By:		y: Da				Time		Received by:			ed by:				-	ab Use Only:							
☑Standard (5 day)	Tyler	Ashn	nore			12/	13	12:	2:00		7	25			12/13	121	2100	Client Alias: Order Number:						
Rush (3-4 day)									_									roper Container						

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
☑Standard (5 day)	Tyler Ashmore	12/13	12:00	DS	12/13/21	12:0C	Client Alias: Order Number:
□ Rush (3-4 day) (1.5x Standard) □ Priority Rush (2 day)							Proper Container Sample Condition Temperature: 10.5°C
(2x Standard)							Shipped Via: Clent Evidence of cooling: Yes No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM newsment description

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

Page 1 of 2





Report Number: 21-014539/D002.R000

Report Date: 12/20/2021 ORELAP#: OR100028

Purchase Order:

12/13/21 12:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.